

# City Community Updates



## Police

- On March 15, 2021, at about 5:28 p.m., the Carlton Police Department served a search warrant at a residence in the 400 block of South Pine St. in the City of Carlton. The warrant is part of an ongoing investigation regarding a burglary at Margaritas Mexican Restaurant in Carlton. Various types of evidence were seized from the residence, but no arrests were made at that time. The burglary occurred in February.

- There is a \$1000.00 reward for information that leads to the arrest and conviction of anyone involved in the burglary.

***The investigation is ongoing, and anyone with information, contact:***

Officer Tim Jordan at 503-852-3802

or

Senior Officer Jake Blair at 503-852-3807

- On March 11, 2021, the Carlton Police Department received a report of a burglary that had occurred in the 300 block of N. Gilwood St. This case is currently under investigation.

***The two burglaries are not connected***

- Criminal mischief and harassment occurred on March 13, 2021, in the parking lot of Napa Auto. This case is under investigation.
- Additional calls: custodial interference and a traffic complaint on Arthur and Polk.

### Public Works

- Seven miles of transmission line starting at the Water Plant and traveling East toward Carlton will be going out to bid for the pipe replacement. **(A grant funds this project through the state)**
- Wennerberg Park playground is close to completion, seating and rubberized matting to be placed over the next couple of weeks.
- Park Street is back open, and the removal of the stumps is complete.



### Finance and Administration

- Carlton Surplus **Sale** will be taking place at Public Works on Friday, March 26, 2021, from 10:00 a.m. to 3:00 p.m. and Saturday, March 27, 2021, from 10:00 a.m. to 1:00 p.m.
- The Audit report for the City for FY2020 is posted at the following link.
  - [Independent Auditor's Report | City of Carlton Oregon](#)
- **To Review Previous City Community Updates:**
  - [City Community Updates | City of Carlton, Oregon](#)
- The Planning Commission approved the City Site Design Review for a replacement vehicle storage building. The current building has deteriorated past use, the beams are dry-rotted, and the metal has lifted off the roof and door areas. All is beyond repair due to the age of the 59-year-old building.



- The City received from the developer of JR Meadows 2 a prepayment of SDC (system development charges). The payment received was approved by Council in March to help fund the upgrade to the Hawn Creek Pump Station.

- The City is currently working on several grants for COVID relief and infrastructure monies.
- There is a special work session meeting on the 23<sup>rd</sup> with the City Council and the Planning Commissioners to discuss the design and ordinance of 5G.
  - [Special Joint Work Session meeting | City of Carlton, Oregon](#)

## COVID

### ○ Current Case Numbers:

There have been **3,833 positive COVID cases** reported in Yamhill County to date (up 39 from 3,794 this time last week). There have so far been 69 COVID-related deaths. [Here is the link](#) to Yamhill County COVID webpage. [This is the OHA Epidemic Trends and Projections Report](#) ( $R_e = 0.88$ , last updated 2/19). Below is a graph of data taken from the [OHA's Weekly School Metrics Data Report](#).

