

City of Carlton

PUBLIC WORKS DESIGN STANDARDS

February 2008

Last Updated February 2010

City of Carlton, Oregon
PO Box 458
Carlton, OR 97111
(503) 864-2221

PUBLIC WORKS DOCUMENTS ORDER FORM

Name: _____

Company/Organization: _____

Address: _____

City: _____ State: _____ Zip _____

Phone: _____ Fax: _____

___ Copies of Carlton Development Ordinance @ \$30.00\$ _____

___ Copies of Carlton Zoning & Utility Maps @ \$35.00.....\$ _____

___ Copies of Public Works Design Standards @ \$35.00.....\$ _____

Postage & Shipping\$ _____

Total \$ _____

Make Checks Payable to the City of Carlton **Prepaid Orders Only**
Add \$5.00 postage/shipping for orders that must be shipped (standard U.S. mail or UPS ground service).

Mail Orders to: City of Carlton
PO Box 458
Carlton, OR 97111

Available at: Carlton City Hall
191 E. Main
Carlton, OR 97111

**CITY OF CARLTON
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
DIVISION 1 GENERAL REQUIREMENTS	1-1
1.1 GENERAL	1-1
1.2 PURPOSE	1-2
1.3 ENGINEERING POLICY	1-2
1.4 DEFINITIONS AND TERMS	1-3
1.5 LOCATION OF UTILITIES WITHIN RIGHT-OF-WAY	1-5
1.6 PROVIDING FOR FUTURE DEVELOPMENT.....	1-5
1.7 TIME LIMITS FROM DRAWING APPROVAL TO CONSTRUCTION.....	1-6
1.8 PHASED DEVELOPMENT	1-6
1.9 REVIEW PROCEDURE.....	1-6
1.10 SUBMITTAL REQUIREMENTS.....	1-8
1.11 VARIANCES TO DESIGN STANDARDS.....	1-18
1.12 PRECONSTRUCTION CONFERENCE.....	1-19
1.13 CONSTRUCTION INSPECTION	1-19
1.14 AS-BUILT DRAWINGS	1-23
 DIVISION 2 STREETS.....	 2-1
2.1 PURPOSE	2-1
2.2 APPLICABILITY	2-1
2.3 SPECIAL ITEMS.....	2-2
2.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS	2-2
2.5 CONSTRUCTION DRAWINGS.....	2-2
2.6 STANDARD DETAILS.....	2-3
2.7 EXISTING STREET CLASSIFICATIONS.....	2-3
2.8 OTHER JURISDICTIONS.....	2-4
2.9 DEFINITIONS AND TERMS	2-4
2.10 MATERIALS	2-6
2.11 IMPROVEMENT STANDARDS BY STREET CLASSIFICATION.....	2-9
2.12 STREET DESIGN AND MINIMUM SECTIONS	2-9
2.13 OVERLAYS.....	2-11
2.14 HORIZONTAL ALIGNMENT.....	2-12
2.15 MONUMENTATION	2-12
2.16 VERTICAL ALIGNMENT AND STREET GRADES.....	2-13
2.17 CROSS SECTIONS AND CROSS SLOPES.....	2-14
2.18 GRADING WITHIN PUBLIC RIGHT-OF-WAY.....	2-15
2.19 CURBS AND GUTTERS	2-15
2.20 SIDEWALKS	2-16
2.21 INTERSECTIONS	2-18
2.22 CLEAR VISION AREA.....	2-18
2.23 CUL-DE-SACS, TURNAROUNDS	2-20
2.24 STUB STREETS.....	2-20
2.25 TRANSITIONS.....	2-20
2.26 SUBSURFACE DRAINAGE.....	2-21
2.27 PARKING LOTS	2-22
2.28 DRIVEWAY SPACING	2-22
2.29 DRIVEWAYS AND DRIVEWAY APPROACHES	2-23
2.30 PRIVATE STREETS, COMMON DRIVEWAYS AND FLAGLOTS	2-23
2.31 STREET LIGHTING	2-24
2.32 BARRICADES AND GUARDRAILS.....	2-25

**CITY OF CARLTON
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
2.33 BIKEWAYS	2-25
2.34 STREET SIGNS	2-26
2.35 CUTTING EXISTING STREETS	2-26
DIVISION 3 STORMWATER MANAGEMENT	3-1
3.1 PURPOSE	3-1
3.2 APPLICABILITY	3-1
3.3 SPECIAL ITEMS	3-2
3.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS	3-3
3.5 CONSTRUCTION DRAWINGS	3-3
3.6 STANDARD DETAILS	3-3
3.7 DEFINITIONS AND TERMS	3-4
3.8 MATERIALS	3-6
3.9 GENERAL DESIGN CONSIDERATIONS	3-11
3.10 DESIGN CALCULATIONS AND CAPACITY	3-13
3.11 OPEN CHANNELS	3-15
3.12 ALIGNMENT AND LOCATION	3-15
3.13 MINIMUM PIPE SIZE	3-17
3.14 MINIMUM COVER	3-18
3.15 MINIMUM SLOPE	3-18
3.16 UNDERGROUND WARNING TAPE	3-19
3.17 MANHOLES AND CATCH BASINS	3-20
3.18 DETENTION FACILITIES	3-22
3.19 PRIVATE STORM DRAINAGE COLLECTION SYSTEMS	3-25
3.20 DRYWELLS AND FRENCH DRAINS	3-25
3.21 STORM DRAIN SERVICE LATERALS	3-27
DIVISION 4 SANITARY SEWER	4-1
4.1 PURPOSE	4-1
4.2 APPLICABILITY	4-1
4.3 SPECIAL ITEMS	4-2
4.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS	4-2
4.5 CONSTRUCTION DRAWINGS	4-3
4.6 STANDARD DETAILS	4-3
4.7 DEFINITIONS AND TERMS	4-3
4.8 MATERIALS	4-6
4.9 GENERAL DESIGN CONSIDERATIONS	4-10
4.10 DESIGN PERIOD	4-11
4.11 DESIGN BASIS & CAPACITY	4-12
4.12 MINIMUM SIZE	4-13
4.13 MINIMUM DEPTH	4-14
4.14 MINIMUM SLOPE	4-14
4.15 ALIGNMENT AND LOCATION	4-16
4.16 MANHOLES AND MAINLINE CLEANOUTS	4-19
4.17 WORK ON EXISTING SEWERS	4-23
4.18 SEWER SERVICE LATERALS	4-24
4.19 PRIVATE COLLECTION SYSTEMS	4-27
4.20 UNDERGROUND WARNING TAPE	4-27

**CITY OF CARLTON
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
DIVISION 5 WATER DISTRIBUTION	5-1
5.1 PURPOSE	5-1
5.2 APPLICABILITY	5-1
5.3 SPECIAL ITEMS	5-2
5.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS	5-2
5.5 CONSTRUCTION DRAWINGS	5-3
5.6 STANDARD DETAILS	5-3
5.7 DEFINITIONS AND TERMS	5-3
5.8 MATERIALS	5-6
5.9 GENERAL DESIGN CONSIDERATIONS	5-17
5.10 WATER SYSTEM CAPACITY	5-18
5.11 LOOPING	5-19
5.12 BLOWOFFS	5-20
5.13 MINIMUM DEPTH	5-20
5.14 MINIMUM MAINLINE SIZE	5-21
5.15 ALIGNMENT AND LOCATION	5-22
5.16 VALVES	5-24
5.17 FIRE HYDRANTS	5-25
5.18 AIR RELEASE VALVES	5-27
5.19 SERVICE LINES	5-27
5.20 WATER METERS	5-30
5.21 PRIVATE WATER SYSTEMS	5-31
5.22 BACKFLOW PREVENTION	5-31
5.23 UNDERGROUND WARNING TAPE	5-33
5.24 MAINLINE BORED CROSSINGS	5-33

APPENDICES

APPENDIX A – STANDARD DETAILS

• Division 1 - General Requirements

Latest Revision

101	Typical Utility Locations (Curbed Streets)	12/07
102	Typical Utility Locations (Turnpike and 3/4 Streets)	12/07

• Division 2 - Streets

Latest Revision

201	34' Residential Street (Local), Minimum Section	1/10
202	40' Major Collector Street, Minimum Section	1/10
202A	40' Minor Collector Street, Minimum Section	1/10
203	36' Commercial Street (Non-Collector), Minimum Section	1/10
203A	36' Industrial Street (Non-Collector), Minimum Section	1/10
204	Arterial Street, Minimum Section	1/10
205	Standard Cul-de-sac (Residential)	2/08
206	Offset Cul-de-sac (Residential)	2/08
207	Eyebrow Cul-de-sac (Residential)	12/07
210	Type "A" Curb and Gutter and Weephole	12/07
211	Type "C" Curb and Weephole	12/07

**CITY OF CARLTON
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
212	Curblin Sidewalks and Driveway Apron..... 2/08
212A	Residential Driveway Apron, Curblin Sidewalk, Steep Uphill Lots Only..... 2/08
213	Property Line Sidewalks and Driveway Apron..... 2/08
214	Handicap Ramps 12/07
216	Commercial Driveway Approach 1/10
217	Curb Knockout for New Driveways on Existing Curbed Streets 12/07
220	Hammerhead Turnaround (Private Drives)..... 1/10
225	Street Barricade (Stub Streets) 12/07
226	6-inch Bollard (Guard Post) 12/07
227	8-inch Bollard (Guard Post) 12/07
230	Typical Street Lamp Post 3/08
232	Street Sign 1/10
235	Offstreet Parking Dimensions, One Way Traffic Flow 5/09
236	Offstreet Parking Dimensions, Two Way Traffic Flow 5/09
237	Double Accessible Parking Space 1/10
238	Accessible Routes and Crossings in Vehicular Areas 1/10
240	Trash and Recycling Enclosure 12/07
• <u>Division 3 – Stormwater Management</u>	
Latest Revision	
▶	For full size manholes, see Details 401 – 403A
▶	For storm sewer service laterals, see Details 415 & 416
▶	For bore casing detail, see Detail 508
301	Trench Backfill, Bedding and Pipe Zone 12/07
302	Driveway Cut Surface Restoration 12/07
302A	AC Street Cut Surface Restoration w/Bench Grind 12/07
302B	AC Street Cut for Street Widening..... 12/07
303	Gravel Surface Restoration 12/07
304	Native Surface Restoration 12/07
310	Standard Side-Inlet Grated Catch Basin 12/07
311	Oversize Side-Inlet Grated Catch Basin 12/07
312	Catch Basin Grate Details 12/07
313	Type 3 Ditch Inlet Catch Basin 12/07
315	Parking Lot Catch Basin (Precast Concrete) 12/07
316	Parking Lot Catch Basin (Lynch Style) 12/07
320	Pollution/Flow Control Manhole 12/07
330	Kuenzi Manhole 12/07
350	24" Diameter Storm Manhole 3/08
355	Private Area Drain, Non-Traffic Areas 1/10
362	Concrete Pipe End Cap with Grate..... 12/07
Test Reports	
▶	Storm Sewer Mandrel Test Report

**CITY OF CARLTON
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
• <u>Division 4 – Sanitary Sewers</u>	
▶ For trench backfill and surface restoration, see Details 301 – 304	Latest Revision
▶ For bore casing detail, see Detail 508	
401 Standard Manhole for 21" Pipe and Smaller	1/10
402 Flattop Manhole for 21" Pipe and Smaller	1/10
403 Manhole for 24" and 27" Pipe	1/10
403A Deep Manhole for 24" and 27" Pipe.....	1/10
404 Inside Drop Connection for Sanitary Sewer Manhole	1/10
405 Manhole Frame and Cover (Standard and Suburban).....	12/07
406 Lockdown Manhole Frame and Cover.....	12/07
407 Manhole Rim Adjustment Details	1/10
411 Mainline Cleanout	5/09
415 Sewer & Storm Service Lateral.....	3/08
416 Standard Service Lateral Cleanout	3/08
418 Service Saddle Connection to Existing Sewer	12/07
419 Inserta-Tee Connection to Existing Sewer	12/07
Test Reports	
▶ Manhole Vacuum Test Report	
▶ Sanitary Sewer Air Test Report	
▶ Sanitary Sewer Mandrel Test Report	
▶ Pipeline TV Inspection Report	
• <u>Division 5 – Water Distribution</u>	
▶ For trench backfill and surface restoration, see Details 301 - 304	Latest Revision
501 Gate Valve and Valve Box Detail	3/08
502 Butterfly Valve and Valve Box Detail	10/09
503 Standard Fire Hydrant Assembly	10/09
505 Tapping Tee and Valve	1/10
506 Mainline Blowoff Assembly	3/08
507 Standard Blowoff with Plugged End	3/08
508 Bore Casing Detail	1/10
510 Horizontal Thrust Blocking	12/07
511 Straddle Block for 12" & Smaller Pipe	12/07
512 Vertical Thrust Blocking	12/07
515 Typical 1" Water Service	1/10
516 1½" and 2" Meter Set with 1" High Bypass	1/10
517 Tapping Requirements, 1½" & Larger Service	1/10

**CITY OF CARLTON
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
523 3" Domestic Water Meter.....	1/10
541 2" and Smaller Reduced Pressure Backflow Assembly.....	1/10
544 4" Reduced Pressure Backflow Assembly.....	1/10
554 4" Double Check Detector Assembly w/FDC.....	1/10
555 6" Double Check Detector Assembly w/FDC.....	1/10
556 8" Double Check Detector Assembly w/FDC.....	1/10

Test Reports

- ▶ Waterline Pressure Test Report

• Division 6 - Erosion Control

610 Temporary Construction Entrance	12/07
611 Sediment Barriers	12/07
612 Straw Wattle Sediment Barrier	12/07
613 Inlet Sediment Control	12/07
614 Ditch & Swale Protection	12/07
615 Silt Sack Inlet Detail	12/07

APPENDIX B - Standard Construction Notes

APPENDIX C - Utility Companies and Agencies

APPENDIX D - Standard Easement Forms, Etc.

APPENDIX E - Sample Insurance Certificates

APPENDIX F - Adopting Ordinance & Resolutions

APPENDIX G - Plan Review, Permit & Construction Requirements & Procedures

PREFACE

These design standards have been developed by the City of Carlton to provide a uniform set of standards for public improvements. The intent of these standards is to provide guidelines for the construction of public facilities that will provide an adequate service level for the present as well as for future development. The format has been kept brief and no attempt has been made to cover all possible situations or to provide lengthy explanations.

These design standards are intended to be used in conjunction with the City's Public Works Construction Standards. In the event of discrepancies between these standards and the Public Works Construction Standards (PWS) or between the text of these standards and the standard details, the more stringent requirements as determined by the City Engineer and Public Works Superintendent shall apply.

Copies of these design standards can be obtained from City of Carlton, Oregon , PO Box 458 , Carlton, OR 97111 .

It is anticipated that revisions to the design standards will be made from time to time. The date appearing on the title page is the date of latest revision of the text portion of the standards. The date appearing on the details is the date of latest revision of that particular detail.

